Polymer Bulletin

© Springer-Verlag 1989

Author Index Volume 21 (1989)

Addink R, see Nijenhuis K te
Aguirre ME, see Burillo G
Amin M, Osman HM, Hamza SS, El-Nashar N, Moghazy SF: The effect of electric field on the creep characteristics of low-density polyethylene (LDPE) 113
Angeloni AS, see Galli G
Antonopoulou P, see Staikos G

Baba Y, see Oka M
Baklouti M, Chaabouni R, Sledz J, Schué F: Polymerization of 2-phenyl-aziridine. A kinetic study 243
Baltá Calleja FJ, see Rueda DR
Bartels G, Hallensleben ML, Wibowo TS, Wurm H: Photosensitive polymers. I. Uni- and copolymerization behaviour of 1,3-bis-(4-benzoyl-3-hydroxyphenoxy)-2-propyl methacrylate 145
Baysal BM, see Yagci Y
Belgacem MN, see Quillerou J
Bello A, see Lazcano S
Birnstiel A, see Simon G
Blanco D, see Katime I
Böhme F, see Scheller D
Böhringer B, see Braun D
Bourguignon J, see Losset D
Braun D, Böhringer B, Eidam N: ATR-FTIR spectroscopy as a tool for studies of polymer-polymer miscibility 63
Burillo G, Aguirre ME, Ogawa T: Studies on diacetylenic vinyl compounds. III. The solid state polymerization of phenyl-4'-vinylphenylbutadiyne 453

Cabello A, Piérola IF: Photooxidation of poly(styrenesulfonic acid) and its sodium salt 341
Cagiao ME, see Rueda DR
Calcagno MP, see López F
Cao X, see Jiang M
Carduner KR, see Golovoy A
Cesteros LC, see Katime IA
Chaabouni R, see Baklouti M
Chan HSO, see Kang ET
Chen W, see Jiang M
Chen Y-C, see Lee M-S
Cheung M-F, see Golovoy A
Chiellini E, see Galli G
Chien JCW: Polymer precursor synthesis of high T_c superconductors 1
Chien JCW, see Rieger B
Chiorboli E, Pizzoli M: Effect of crystallinity on the dynamic mechanical relaxations of poly(butylene isophthalate) 77
Christou E, see Staikos G
Chu H-H, Piirma I: The stabilization effect of mixed-surfactants in the emulsion polymerization of styrene 301

Chujo Y, Sada K, Matsumoto K, Saegusa T: Synthesis of an amphigel by the terpolymerization of 2-methyl-2-oxazoline, 2-alkyl-2-oxazoline, and bis-oxazoline 353
Chung IJ, see Chung SE
Chung SE, Chung IJ: Rotational diffusion coefficient of rod-like polymer with a slight flexibility in semidilute and concentrated solutions 105
Ciobanu C, see Diaconu I
Clever HA, Hall HK Jr: Absence of tetramethylene diradical intermediates in Lewis acid catalyzed group transfer polymerization 179
Contreras JM, see López F
Corapci M, see Horrion J

Dellacherie E, see Prouchayret F
Diaconu I, Ciobanu C, Simionescu CI: Properties of urethane elastomers. I. Dielectric relaxation in saturated polyester urethane elastomers determined by thermally stimulated depolarization currents 203
Dilger P, see Schneider HA
Ding Y-X, see Jiang W
Dupas G, see Losset D
Durand G, see Lafuma F
Dušek K, see Koňák Č
Duvallet S, Fenyo JC, Vandevelde MC: Meaning of molecular weight measurements of gum arabic 517

Eidam N, see Braun D
El-Nashar N, see Amin M
Epple U, Schneider HA: Copolymerization of methylacrylate with electron-donor N-(2-hydroxyethyl)carbazolyl acrylate and n-butylacrylate with electron-acceptor (β-hydroxyethyl)-3,5-dinitrobenzoyl acrylate 459

Fatou JG, see Lazcano S
Faust R, Zsuga M, Kennedy JP: Living carbocationic polymerization. XXVIII. telechelic polyisobutylenes by bifunctional tert-dichloroacetate initiators 125
Faust R, see Zsuga M
Fedtke M, Jumbam ND: Oligomerization of N-ethylglycidyl aniline induced by tertiary amines 141
Fedtke M, Strehmel V: New aspects in acceleration of glycidyl ether oligomerization by imidazole compounds 549
Felisola K, see López F
Fenyo JC, see Duvallet S
Frisch HL, see Vilgis TA
Furukawa J, Kobayashi S, Saegusa T: Copolymerization of ethanesultam with 2-methyl-2-oxazoline 421

Polymer Bulletin

© Springer-Verlag 1989

Author Index Volume 21 (1989)

Addink R, see Nijenhuis K te
Aguirre ME, see Burillo G
Amin M, Osman HM, Hamza SS, El-Nashar N, Moghazy SF: The effect of electric field on the creep characteristics of low-density polyethylene (LDPE) 113
Angeloni AS, see Galli G
Antonopoulou P, see Staikos G

Baba Y, see Oka M
Baklouti M, Chaabouni R, Sledz J, Schué F: Polymerization of 2-phenyl-aziridine. A kinetic study 243
Baltá Calleja FJ, see Rueda DR
Bartels G, Hallensleben ML, Wibowo TS, Wurm H: Photosensitive polymers. I. Uni- and copolymerization behaviour of 1,3-bis-(4-benzoyl-3-hydroxyphenoxy)-2-propyl methacrylate 145
Baysal BM, see Yagci Y
Belgacem MN, see Quillerou J
Bello A, see Lazcano S
Birnstiel A, see Simon G
Blanco D, see Katime I
Böhme F, see Scheller D
Böhringer B, see Braun D
Bourguignon J, see Losset D
Braun D, Böhringer B, Eidam N: ATR-FTIR spectroscopy as a tool for studies of polymer-polymer miscibility 63
Burillo G, Aguirre ME, Ogawa T: Studies on diacetylenic vinyl compounds. III. The solid state polymerization of phenyl-4'-vinylphenylbutadiyne 453

Cabello A, Piérola IF: Photooxidation of poly(styrenesulfonic acid) and its sodium salt 341
Cagiao ME, see Rueda DR
Calcagno MP, see López F
Cao X, see Jiang M
Carduner KR, see Golovoy A
Cesteros LC, see Katime IA
Chaabouni R, see Baklouti M
Chan HSO, see Kang ET
Chen W, see Jiang M
Chen Y-C, see Lee M-S
Cheung M-F, see Golovoy A
Chiellini E, see Galli G
Chien JCW: Polymer precursor synthesis of high T_c superconductors 1
Chien JCW, see Rieger B
Chiorboli E, Pizzoli M: Effect of crystallinity on the dynamic mechanical relaxations of poly(butylene isophthalate) 77
Christou E, see Staikos G
Chu H-H, Piirma I: The stabilization effect of mixed-surfactants in the emulsion polymerization of styrene 301

Chujo Y, Sada K, Matsumoto K, Saegusa T: Synthesis of an amphigel by the terpolymerization of 2-methyl-2-oxazoline, 2-alkyl-2-oxazoline, and bis-oxazoline 353
Chung IJ, see Chung SE
Chung SE, Chung IJ: Rotational diffusion coefficient of rod-like polymer with a slight flexibility in semidilute and concentrated solutions 105
Ciobanu C, see Diaconu I
Clever HA, Hall HK Jr: Absence of tetramethylene diradical intermediates in Lewis acid catalyzed group transfer polymerization 179
Contreras JM, see López F
Corapci M, see Horrion J

Dellacherie E, see Prouchayret F
Diaconu I, Ciobanu C, Simionescu CI: Properties of urethane elastomers. I. Dielectric relaxation in saturated polyester urethane elastomers determined by thermally stimulated depolarization currents 203
Dilger P, see Schneider HA
Ding Y-X, see Jiang W
Dupas G, see Losset D
Durand G, see Lafuma F
Dušek K, see Koňák Č
Duvallet S, Fenyo JC, Vandevelde MC: Meaning of molecular weight measurements of gum arabic 517

Eidam N, see Braun D
El-Nashar N, see Amin M
Epple U, Schneider HA: Copolymerization of methylacrylate with electron-donor N-(2-hydroxyethyl)carbazolyl acrylate and n-butylacrylate with electron-acceptor (β-hydroxyethyl)-3,5-dinitrobenzoyl acrylate 459

Fatou JG, see Lazcano S
Faust R, Zsuga M, Kennedy JP: Living carbocationic polymerization. XXVIII. telechelic polyisobutylenes by bifunctional tert-dichloroacetate initiators 125
Faust R, see Zsuga M
Fedtke M, Jumbam ND: Oligomerization of N-ethylglycidyl aniline induced by tertiary amines 141
Fedtke M, Strehmel V: New aspects in acceleration of glycidyl ether oligomerization by imidazole compounds 549
Felisola K, see López F
Fenyo JC, see Duvallet S
Frisch HL, see Vilgis TA
Furukawa J, Kobayashi S, Saegusa T: Copolymerization of ethanesultam with 2-methyl-2-oxazoline 421

Galli G, Chiellini E, Laus M, Angeloni AS: Thermotropic poly(ester-β-sulfide)s: A new polymer series containing the p-phenylene di(p-oxybenzoate)unit 563
Gandini A, see Le Nest JF
Gandini A, see Quillerou J
Gattiglia E, La Mantia FP, Turturro A, Valenza A: Effects of mixing time and blend composition on properties and morphologies of polyamide 6/polycarbonate blends 47
Gaylord RJ, see Twardowski TE
Golovoy A, Cheung M-F, Carduner KR, Rokosz MJ: The influence of aging on the effectiveness of an organophosphite in suppressing transesterification in polymer blends 327
Gonzalez A, Saja JA de, Jorge G, Requejo A: An estimation of the chain branching effects in butene/ethylene copolymers from microhardness measurements 513
Götschmann B, see Simon G
Gungor A, see Yagci Y
Guo Q, Peng X, Wang Z: Phase separation during crosslinking of epoxy resin/poly(ethylene oxide) blends 593
Guyot A, Revillon A, Yuan Q: Macroporous gel-type styrene-divinylbenzene materials 577

Hagiwara T, see Narita T
Hall HK Jr, see Clever HA
Hallensleben ML, see Bartels G
Hamana H, see Narita T
Hamza SS, see Amin M
Haruvy Y: Grafting of acrylamide onto Nylon-6 fabric by the electron beam preirradiation technique 251
Hatada K, Kitayama T, Ute K, Masuda E, Shinozaki T, Yamamoto M: Preparation of highly isotactic and syndiotactic poly(methyl methacrylate) macromonomers having the same chemical structure and their polymerization 165
Hatada K, Ute K, Kitayama T, Yamamoto M, Nishimura T, Kashiyama M: On-line GPC/NMR analysis of block and random copolymers of methyl and butyl methacrylates prepared with t-C_4H_9MgBr 489
Hatada K, see Kitayama T
Hatam M, see Tamami B
Hedrick DP, see Parker AA
Higashimura T, see Shohi H
Hinrichsen G, see Wöbkemeier M
Horii H, see Kitayama T
Horrion J, Jerome R, Teyssie P, Vanderschueren J, Corapci M: Thermally stimulated currents studies in blends of immiscible telechelic polymers 627
Hu S-S, Weber WP: Synthesis and photodegradation of poly[2,5-bis(dimethylsilyl) thiophene] 133

Imai K, see Kazama H
Inoue S, see Kurita K
Ishida S-I, see Sue H

Ito K, see Itsuno S
Itsuno S, Moue I, Ito K: Preparation of crosslinked polystyrene beads including oligo(oxyethylene) chain as crosslinking agent and their use as phase transfer catalyst 365
Iván B, see Zsuga M

Jerome R, see Horrion J
Jiang M, Cao X, Chen W, Yu T: The effect of introduced hydrogen bonding on miscibility of polymer blends studied by excimer fluorescence 599
Jiang W, Ding Y-X, Weber WP: Addition of dichlorocarbene to cis-1,4-poly(2-trimethylsilylmethyl-1,3-butadiene). Fluoride catalyzed elimination of trimethylchlorosilane from cis-1,4-poly(2,3-dichloromethylene-2-trimethylsilymethyl-1,3-butadiene) 541
Jiang W, Weber WP: Reaction of E-1,4-poly(2-triethylsilyl-1,3-butadiene) with iodine monochloride 427
Jiang W, Weber WP: Reductive silylation of chloroprene 335
Jin J-I, see Shim H-K
Jo WH, Lee SC, Lee MS: Miscibility of poly(methyl methacrylate-co-vinyl pyridine) and poly (butyl acrylate-co-acrylic acid) blends 183
Jorge G, see Gonzalez A
Jumbam ND, see Fedtke M

Kagemoto A, see Oka M
Kammer HW, see Scheller D
Kang ET, Tan KL, Neoh KG, Chan HSO, Tan BTG: XPS studies of iodine complexes of pyrrole - N-methylpyrrole copolymer 53
Kanjo IE, see Le Minor A
Kashiwagi T, see Kitayama T
Kashiyama M, see Hatada K
Katime I, Blanco D, Teijón JM: Thermodynamic properties of poly(ethyl methacrylate) in binary mixtures. 2. Ethyl acetate/ethanol 89
Katime IA, Quintana JR, Cesteros LC, Peleteiro MC: Melting and crystallization behaviour of the poly(vinylidene fluoride)/poly(monobenzyl itaconate) blends 69
Kawafune I, see Kita H
Kazama H, Tezuka Y, Imai K: A new bifunctional initiator for the living polymerization of hexamethylcyclotrisiloxane 31
Kennedy JP, see Faust R
Kennedy JP, see Nemes S
Kennedy JP, see Zsuga M
Kim DH, Kim SC: Effects of curing conditions on the properties of the dynamically cured EPDM/HDPE blends 401
Kim SC, see Kim DH
Kita H, Shigekuni M, Kawafune I, Tanaka K, Okamoto K: Preparation of plasma-polymerized membranes from fluoroalkyl acrylates and methacrylates and gas permeability through

the membranes 371
Kitayama T, Horii H, Hatada K, Kashiwagi T: Tacticity dependence of thermal degradation of PMMAs with the same chemical structure 433
Kitayama T, see Hatada K
Kobayashi S, see Furukawa J
Koňák Č, Pavel M, Dušek K: Brillouin scattering from epoxy resins and gels 641
Kovarskii AL, Mansimov SA: On the amplitude of molecular motion and mechanism of relaxational processes in polymers 613
Koyama Y, see Kurita K
Kressler J, see Scheller D
Kunugi S, Tatsukawa K, Nakajima T, Nomura A, Tanaka A: Orientation of bacteriorhodopsin in non-aqueous polymer membrane 59
Kurita K, Inoue S, Koyama Y: Studies on chitin. 18. Preparation of diethylaminoethyl-chitins 13

La Mantia FP, see Gattiglia E
Lafuma F, Durand G: ^{13}C NMR spectroscopy of cationic copolymers of acrylamide 315
Laus M, see Galli G
Lazcano S, Bello A, Marco C, Fatou JG: Anionic synthesis and thermal properties of poly(3,3-diethylthietane) 571
Le Minor A, Kanjo IE, Villemin D: Synthesis of S-dithiocarbonates with polymer-supported xanthates 445
Le Nest JF, Gandini A: Electrolytes for solid-state batteries: glass transition temperature of polyether networks with and without alkali metal salts 347
Lee MS, see Jo WH
Lee M-S, Tzeng J-S, Chen Y-C: Photovoltaic properties and stability of I_2-doped polyacetylene 523
Lee SC, see Jo WH
Leistner D, see Scheller D
Lemieux E, Prud'homme RE: Crystallization and morphology of isotactic poly(methyl methacrylates) 621
Lenz RW, see Shim H-K
Lim J-C, see Suzuki M
López F, Calcagno MP, Contreras JM, Torrellas Z, Rabagliati FM: Propylene oxide polymerization using the diphenylzinc-acetone system in benzene at 60°C 287
López F, Calcagno MP, Contreras JM, Ramírez M, Felisola K, Rabagliati FM: Some aspects on the polymerization of ethylene oxide initiated by diphenylzinc-butanone and diphenylzinc-cyclohexanone systems 449
Losset D, Dupas G, Bourguignon J, Quéguiner G: Asymmetric reductions with chiral NADH models grafted on a Merrifield resin 649

Mallya P, Plamthottam SS: Termination rate constant in butyl acrylate batch emulsion polymerization 497
Mansimov SA, see Kovarskii AL
Marcinko JJ, see Parker AA
Marco C, see Lazcano S
Maruthamuthu M, Subramanian E: pH-dependent interaction of sulfamethoxazole with crosslinked poly(N-vinyl-2-pyrrolidone) 505
Masuda E, see Hatada K
Matsumoto K, see Chujo Y
Matzen D, see Simon G
Menceloglu YZ, see Yagci Y
Merino JC, Pastor JM, Saja JA de: Characterization of the conformers in poly(3,3-diethyl oxetane) by vibrational spectroscopy 85
Moghazy SF, see Amin M
Mohadjer D, see Tamami B
Montaudo G, Puglisi C, Samperi F: Sequencing an aromatic copolycarbonate by partial ammonolysis and FAB-MS analysis of the products 483
Moue I, see Itsuno S

Nakajima A, see Oka M
Nakajima T, see Kunugi S
Nakamoto Y, see Sue H
Narita T, Hagiwara T, Hamana H, Shoji Y: Anionic polymerization of fluorine-containing vinyl monomers. 8. Pentafluorophenylmethyl methacrylate 119
Natansohn A: Carbon-13 NMR assignments for 2,4,7-trinitro-9-fluorenone and 2,4,5,7-tetranitro-9-fluorenone 217
Nemes S, Kennedy JP: A new asymmetric-telechelic polyisobutylene prepared by the cis-2-pinanol/BCl_3, initiating system 293
Neoh KG, see Kang ET
Ni S, Wang J, Wang F: Proton NMR study on the molecular motion and conformation of polyaniline doped with HCl 221
Nijenhuis K te, Addink R, Vegt AK van der: A study on composites of Nylon-6 with hollow glass microspheres 467
Nishimura T, see Hatada K
Nomura A, see Kunugi S
Nuyken O, Presenz U: Azo polymers - syntheses and reactions. 6. Grafting of polycarbonates 23

Ogawa T, see Burillo G
Ohno H, see Wang L
Oka M, Baba Y, Kagemoto A, Nakajima A: Random-coiled conformation of polypeptide chains. 3. Theoretical conformational analysis of poly(L-leucine) 377
Oka M, Baba Y, Kagemoto A, Nakajima A: Random-coiled conformation of polypeptide chains. 4. Theoretical conformational analysis of poly(L-valine) 385
Okamoto K, see Kita H
Osman HM, see Amin M

Park CK, see Shim H-K
Parker AA, Marcinko JJ, Shieh YT, Shields C, Hedrick DP, Ritchey WM: Studies of polymer

morphology with ^{13}C inversion recovery cross polarization NMR 229
Pastor JM, see Merino JC
Pavel K, Rehse H, Ritter H: Enzymes in polymer chemistry. Lipase-catalyzed acetylation of methacrylic polymers containing OH-groups 535
Pavel M, see Koňák Č
Peleteiro MC, see Katime IA
Peng X, see Guo Q
Perdih A: Polymerization of methylmetacrylate in the presence of quaternary ammonium salts 151
Piérola IF, see Cabello A
Piirma I, see Chu H-H
Pizarro G del C, see Rivas BL
Pizzoli M, see Chiorboli E
Plamthottam SS, see Mallya P
Popov G, see Schwachula G
Present U, see Nuyken O
Prouchayret F, Sacco D, Dellacherie E: On the use of watersoluble carbodiimides for binding carboxylic compounds to aminated dextrans 309
Prud'homme RE, see Lemieux E
Puglisi C, see Montaudo G

Quéguiner G, see Losset D
Quillerou J, Belgacem MN, Gandini A, Rivero J, Roux G: Urethanes and polyurethanes bearing furan moieties. 1. Synthesis and characterization of monourethanes 555
Quintana JR, see Katime IA

Rabagliati FM, see López F
Ramírez M, see López F
Rätzsch M, see Scheller D
Rehse H, see Pavel K
Requejo A, see Gonzalez A
Revillon A, see Guyot A
Rieger B, Chien JCW: "Anisotactic" polypropylenes produced with a zirconocene-methylalumoxane catalyst: solid state properties and microstructure 159
Ritchey WM, see Parker AA
Ritter H, see Pavel K
Rivas BL, Pizarro G del C: Copolymerization via zwitterion. 13. Copolymerization of 2-ethyl-2-oxazoline with o- and p-methoxiphenylmaleimide 39
Rivero J, see Quillerou J
Rokosz MJ, see Golovoy A
Roux G, see Quillerou J
Rueda DR, Cagiao ME, Baltá Calleja FJ: X-ray diffraction study of poly-p-phenylene doped with SbF_5 and $SbCl_5$ 635

Sacco D, see Prouchayret F
Sada K, see Chujo Y
Saegusa T, see Chujo Y
Saegusa T, see Furukawa J
Saegusa T, see Suzuki M
Saja JA de, see Gonzalez A
Saja JA de, see Merino JC
Samperi F, see Montaudo G
Sawamoto M, see Shohi H
Scheller D, Kressler J, Kammer HW, Böhme F, Voigt D, Leistner D, Rätzsch M: Phase separation in a thermotropic copolyester via spinodal decomposition 585
Schimmel K-H, see Simon G
Schneider H, see Simon G
Schneider HA, Dilger P: DSC and TMS study of polystyrene/(poly(α-methylstyrene)blends 265
Schneider HA, see Epple U
Schué F, see Baklouti M
Schwachula G, Popov G: Heterogeneities of styrene-divinylbenzene-copolymers 189
Shieh YT, see Parker AA
Shields C, see Parker AA
Shigekuni M, see Kita H
Shim H-K, Park CK, Jin J-I, Lenz RW: Electrical conductivity of polyblends of poly(1,4-phenylene vinylene) and poly(2,5-dimethoxy-1,4-phenylene vinylene) 409
Shinozaki T, see Hatada K
Shiono T, Uchino H, Soga K: A highly non-stereospecific catalyst for propene polymerization 19
Sho K, see Suzuki M
Shohi H, Sawamoto M, Higashimura T: Synthesis of end-functionalized polymers by living cationic polymerization of isobutyl vinyl ether with $EtAlCl_2$ 357
Shoji Y, see Narita T
Shouji E, see Wang L
Simionescu CI, see Diaconu I
Simon G, Birnstiel A, Schimmel K-H: Network characterisation of end-linked poly(dimethylsiloxane) by ^1H-NMR-spin-spin relaxation 235
Simon G, Götschmann B, Matzen D, Schneider H: ^1H-NMR-spin-spin relaxation in cross-linked SBR with and without carbon black filling 475
Sledz J, see Baklouti M
Soares BG, see Souza Gomes A de
Soga K, see Shiono T
Souza Gomes A de, Soares BG: The effect of continuous slow monomer addition technique on cationic polymerization in liquid sulfur dioxide 439
Stadler R, see Stock J
Staikos G, Antonopoulou P, Christou E: A new viscometric approach to the interpolymer complexes 209
Stock J, Stadler R: Electrophilic aromatic substitution on poly-(4-N,N-dimethylamino-styrene-co-styrene) copolymers. Evidence for intramolecular hydrogen bonding 319
Strehmel V, see Fedtke M
Subramanian E, see Maruthamuthu M
Sue H, Nakamoto Y, Ishida S-I: Determination of Mark-Houwink-Sakurada equation for phenolic resins containing alkylenediamine in the main chain and estimation of their molecular conformation in tetrahydrofuran

solution 97
Suzuki M, Sho K, Lim J-C, Saegusa T: Novel polycondensation catalyzed by a palladium complex. I. Polymer synthesis using the coupling reaction between aryl halide and acrylate 415

Tamami B, Hatam M, Mohadjer D: Polymeric reagent. I. Polymer supported silver dichromate complex as an oxidizing agent 531
Tan BTG, see Kang ET
Tan KL, see Kang ET
Tanaka K, see Kita H
Tanaka S, see Kunugi S
Tatsukawa K, see Kunugi S
Teijón JM, see Katime I
Teyssie P, see Horrion J
Tezuka Y, see Kazama H
Torrellas Z, see López F
Tsuchida E, see Wang L
Turturro A, see Gattiglia E
Twardowski TE, Gaylord RJ: The localization model of rubber elasticity and the stress-strain behavior of a network formed by cross-linking a deformed melt. II. Equibiaxial extension and pure shear 393
Tzeng J-S, see Lee M-S

Uchino H, see Shiono T
Ute K, see Hatada K

Valenza A, see Gattiglia E
Vanderschueren J, see Horrion J
Vandevelde MC, see Duvallet S
Vegt AK van der, see Nijenhuis K te
Vilgis TA, Frisch HL: Osmotic pressure of catenanes in solution 655
Villemin D, see Le Minor A
Voigt D, see Scheller D

Wang F, see Ni S
Wang J, see Ni S
Wang L, Shouji E, Ohno H, Tsuchida E: Fluorescence behavior of porphinato zinc derivative in the molecular assembly of polymerized lipid 195
Wang Z, see Guo Q
Weber WP, see Hu S-S
Weber WP, see Jiang W
Weber WP, see Zhou Q
Wibowo TS, see Bartels G
Wöbkemeier M, Hinrichsen G: Hydrogen bonding in aliphatic poly(amides): Dependence of infra-red spectra and density on chemical composition 607
Wurm H, see Bartels G

Yagci Y, Menceloglu YZ, Baysal BM, Gungor A: Acrylonitrile block copolymers. 1. Preparation of polyacrylonitrile containing azo-linkage in the main chain by anionic insertion polymerization 259
Yamamoto M, see Hatada K
Yu T, see Jiang M
Yuan Q, see Guyot A

Zhou Q, Weber WP: Birch reduction of the dichlorocarbene adduct of poly(1,1-dimethyl-1-sila-cis-pent-3-ene) (Cl_2C-I):synthesis and characterization of poly(1,1-dimethyl-3,4-methylene-1-sila-cis-pent-3-ene)(CH_2-I) 173
Zsuga M, Kennedy JP: Electron donors in carbocationic polymerization. IV. Preparation of narrow-dispersity tert.-chlorine-capped polyisobutylene by the trans-2,5-diacetoxy-2,5-dimethyl-3-hexene/BCl_3/dimethyl sulfoxide system 5
Zsuga M, Faust R, Kennedy JP: Living carbocationic polymerization. XXIX. The synthesis of telechelic polyisobutylenes by the trans-2,5-diacetoxy-2,5-dimethyl-3-hexene /BCl_3 initiating system in 1,2-dichloroethane in the -30 to 21°C range 273
Zsuga M, Iván B, Kennedy JP: Rapid microanalytical chlorine determination in polymers by ion selective electrode 281
Zsuga M, see Faust R

Subject Index Volume 21 (1989)

Acacia senegal 517
Accelerators for curing 549
Acetylation, lipase-catalyzed 549
Acrylamide 251
,- cationic copolymers 315
Acrylates, quaternary ammonium 315
Acrylonitrile block copolymers 259
Acryloylchlorid 459
Aging 327
Alkali metals 635
Alkylenediamine 97
2-Alkyl-2-oxazoline 353
Aminopolysaccharide 13
Ammonium salts, trioctyl methyl 151
Ammonolysis, partial 483
Amphiget 353
Amphiphilic gel 353
Anionic polymerization 119
Antioxidants 145
Aryl halide and acrylate, coupling reaction 415
AsF_5 635
Asymmetric reductions 649
ATR-FTIR spectroscopy 63
Aziridines 243
Azo polymers 23

Bacteriorhodopsin 59
Batch adsorption 505
Batch emulsion polymerization 497
Batteries, solid-state 347
1,3-bis-4-(Benzol-3-hydroxyphenoxy)-2-propyl methacrylate 145
Benzyl methacrylate 119
Bernouillian statistics 315
Binary mixtures 89
Birch reduction 173
Bis-oxazoline 353
Bisphenol A 483
Blend films 409
Blends 47, 69, 593
-, depolarized currents techniques 627
-, dynamically cured 401
-, hydrogen bonding 599
-, miscible 63, 183
-, PS/PaMS 265
-, transesterification 327
Block copolymers 259
1-Bromobutane 365
Broullion spectroscopy 641
Butene/ethylene copolymers 513
n-Butylacrylate 549
Butyl acrylate batch emulsion polymerization 497
Butyl methacrylate 489
bis(2,4-di-t-Butylphenyl)pentaerythritol diphosphite 327

Carbocationic polymerization 439
--, electron donors 5
--, living 125, 273
Carbamates 555
Carbodiimides, watersoluble 309
Carbon black filling 475
Catalysts 287
-, $Et(Ind)_2ZrCl_2/MAO$ 159
-, isotactic-specific 19
Catenanes, osmotic pressure 655
Cationic polymerization 439
Ceramic techniques 1
Chain transfer 439
Chiral models, grafting 649
Chiral reagents 649
Chitin 13
1,4-(2-Chloro-1,3-butadiene) 335
Chlorine determination, rapid microanalytical 281
1,5-(3-Chloro-2-methylene-pent-3-ene) 541
2-Chloroethylbenzene 453
Chloroprene, reductive silylation 335
Concatenating ring polymers 655
Conformers 85
Continuous slow monomer addition 439
Copolycarbonate, aromatic 483
Copolyester, phase heterogeneity 585
-, thermotropic 585
Copolymer-iodine complexes 53
Creep characteristics 113
Crosslinked polymer blends 365
Curing 401
-, isothermal 641
Cyclopropanation 173

Degradation 433
Depolarization technique 613
Dextrans, aminated 309
Diacetylenes, solid state polymerization 453
trans-2,5-Diacetoxy-2,5-dimethyl-3--hexene/BCl_3 273
Diacetylenic vinyl compounds 453
Dialkylzinc 449
Dibenzoyl peroxide 151
di-tert-Dichloroacetate initiators, bifunctional 125
Dichlorocarbene 173
1,4-(2,3-Dichloromethylene-2-trimethyl-silylmethyl-1,3-butadiene) 541
Diethylaminoethyl-chitins 13
3,3-Diethylthietane 571
Diethylzinc-ketone 287
Difluorocarbene 173
1,4-Diiodobenzene 415
Dilithium salt 31
N,N-Dimethylbenzyl amine 141
Dimethyl sulfoxide 5
Dimethylvinylchlorosilane 31
Dinitrobenzoyl polymers 459

1,3-Diphenoxy-2-hydroxypropane 549
Diphenylzinc-acetone 287
Diphenylzinc-butanone system 449
Diphenylzinc-water 287
S-Dithiocarbonates 189
Divinylbenzene 189
Dopants 635

Elastomers 475
-, polyurethane 203
Electric field, effect of 113
Electrolytes 347
-, alkali metal salts 347
Electron donor 5
Emulsion polymerization 301, 497
End-functionalized polymers 357
Enzyme-catalyzed acetylation 535
Enzymes 535
EPDM/HDPE blends 401
Epoxy resin/poly(ethylene oxide) blends 593
Epoxy resins 593
--, Broullouin scattering 641
--, isothermal curing 641
Equibiaxial extension 393
$EtAlCl_2$ 357
Ethanesultam/2-methyl-2-oxazoline 421
Ethyl acetate/ethanol 89
Ethylaluminum dichloride 357
Ethylene bis(-1-indenyl)-dichlorozirconium 159
Ethylenediamine 97
Ethylene oxide initiation 449
N-Ethylglycidyl aniline, oligomerization 141
2-Ethyl-2-oxazoline 39
N-Ethyl-N-propane-2,3-diol aniline 141
Excimer fluorescence 599

FAB-MS analysis 483
Fast atom bombardment mass spectrometry 463
Fluoroalkyl acrylates 119, 371
Fluoroalkyl-substituents 119
Fourier transform, infrared 63
FTIR spectroscopy 63

Gel, amphiphilic 353
Gel-type resins 577
Glass spheres, hollow 467
Glycidyl ethers 141, 549
--, oligomerization 549
GPC/NMR analysis 489
Graft copolymers 165
Grafting 23
Group transfer polymerization 179
Gum arabic 517

Halobacterium 59
Hexamethylcyclotrisiloxane, bifunctional intitiator 31
Hexamethylenediamine 97
1-H-NMR-spin-spin relaxation 235
Hoffman-Week plot 69
Hydrogels 353
Hydrogen bonding 599, 607
Hydrogen bonds 607
Hydroxyacids 535
p-Hydroxybenzoic acid 585
bis(p-Hydroxydimethylsilyl)phenyl ether 31

N-(2-Hydroxyethyl)carbazolyl acrylate 459
beta-Hydroxyethyl-3,5-dinitrobenzoate 549
(beta-Hydroxyethyl)-3,5-dinitrobenzoyl acrylate 459

IB prepolymers, telechelic 293
Imidazole compounds 549
Initiators, functionalized 357
Intact polymers, chemical modification 541
Interpolymer complexes 209
Inversion recovery cross polarization NMR 229
Iodine 53
Iodine monochloride 427
2-(p-Iodobenzoxy)ethyl acrylate 415
Ion exchange resins 189
Isobutylene 125, 273
Isobutyl vinyl ether 357
Isotactic block copolymers 489

Kelen-Tüdös method 459
Kerner equation 467
Ketone/Ph_2Zn 287
Kovacic method 635

LDPE 113
Lipases 535
Lipid liposomes 195
Liposomes 195
Liquid-crystalline polymers 563
Lithium batteries 347
Living carbocationic polymerization 273
Living cationic polymerization 357
Living polymerization 125

Marc-Houwink-Sakurada equation 97
Matrices, hydrophilic 251
Melt, deformed 393
-, pure shear deformation 393
Membranes, gas permeability 371
-, plasma-polymerized 371
-, polymerized bilayer 195
-, synthetic 251
-, synthetic polymer 59
"Memory effect", photoinduced 459
Merrifield resin 649
Merrifield synthesis 577
Methacrylic polymers containing OH-groups 535
N-Methacryloyl-11-aminoundecanoyl-N'-(1-amino-2-propanol) 535
p-Methoxiphenylmaleimide 39
Methyl acrylate 179
Methylalumoxane 159
Methyl methacrylate 1, 119, 489
--, quaternary ammonium salts 151
2-Methyl-2-oxazoline 39, 353
N-Methylpyrrole 53
N-Methylpyrrolidine 31
alpha-Methylstyrene 439
Microhardness measurements 513
Microhardness test 513
Miscibility 63, 593, 599
-, blend 63
Mixed-surfactants 301
MMA 23

Monomer addition, continuous slow 439
Monourethanes 555
-, furanic 555

NADH, chiral 649
NADH models 649
Networks 393
NMR 315, 319, 335
-, carbon-13 217, 315
-, 13-C inversion recovery cross polarization 229
-, 31-P 327
-, proton 221
-, Si-29 335
No catalyst copolymerization 421
Nylon-6, grafting of acrylamide 251
Nylon-6/hollow glass microspheres 467

Oligo(ethylene oxide)s 365
Oligo(oxiethylene) 365
Organophosphite 327
Oxidizing agents, polymeric 531
Oxyethylene 365

Palladium, polycondensation 415
Partial ammonolysis 483
PBA 183
Pentafluorophenylmethyl methacrylate 119
Permeation 371
PFPMA 119
Phase separation 593
Phase transfer catalysts 365
Phenolic resins 97
2-Phenyl-aziridine 243
p-Phenylene-di(p-oxybenzoate) core 563
p-Phenylene-di(p-oxybenzoate) unit 563
4-Phenyl-1,2,4-triazoline-3,5-dione 319
Phenyl-4'-vinylphenylbutadiyne 453
Phosphonates 327
Photodegradation 133, 341
Photolithographic applications 133
Photolysis 133
Photooxidation 341
Photosensitive polymers 145
Ph_2Zn-butanone 449
Ph_2Zn-cyclohexanone 449
PIB 281, 293
-, telechelic 5
Piezoelelectric properties 69
cis-2-Pinanol/BCl_3 293
2-Pinanyl chloride 293
PMMA 23, 183
iPMMA, crystallization 621
PMMA, syndiotactic 165
PMMAs, thermal degradation 433
PMMA macromonomer 165
Polyacetylene, I-2-doped 523
-, semiconductive 523
-, solar cells 523
Polyacrylamide 209
Polyacrylic acid 209
Polyacrylonitrile 259
Polyamide 6/polycarbonate blends 47
Poly(amides), aliphatic 607
Polyaniline doped with HCl 221
Polyarylate 327
Polyblends, electrical conductivity 409
1,4-Polybutadiene 173
Poly(butyiene isophthalate) 77
Poly(butyl acrylate) 183, 497
Poly(butyl acrylate-co-acrylic acid) 183
Polybutylene terephthalate 327
Polycarbonates 47, 63, 327
-, grafting 21
Polycarboxylic acids, dextran-linked benzene 309
Polycondensation 415
cis-1,4-Poly(2,3-dichloromethylene-2-trimethylsilylmethyl-1-3-butadiene 541
Polydienes 319
Poly(3,3-diethyl oxetane) 85
Poly(3,3-diethylthietane) 571
Poly-(4-N,N-dimethylaminostyrene-co-styrene) copolymers 319
Poly(dimethylsiloxane) 31
-, end-linked 235
Poly/2,5-bis-(dimethylsilyl)thiphene/ 133
Poly(2,5-dimethoxy-1,4-phenylene vinylene) 409
Poly(1,1-dimethyl-3,4-methylene-1-sila-cis-pent-3-ene) 173
Poly(1,1-dimethyl-1-sila-cis-pent-3-ene) 173
Poly(DMS), bifunctional living 31
Polyelectrolytes 409
-, cationic 315
Polyester blends 327
Poly(ester-beta-sulfide)s, thermotropic 563
Polyester urethane elastomers 203
Polyether networks 347
Polyethers 85
Polyethylene, linear low-density 513
-, low-density 113
Poly(ethylene glycol)s 365
Poly(ethylene oxide) 209, 347, 593
Polyethylene terephthalate 327
Poly(ethyl methacrylate), thermodynamic properties 89
Poly(hydroxymethyl methacrylate) 59
Polyisobutylenes, asymmetric-telechelic 293
-, telechelic 125, 273, 281
Poly(L-leucine) 377, 385
Polymer blends, immiscible 599
--, miscibility 593, 599
Polymeric oxidizing compounds 531
Polymeric reagents 531
Polymeric support-matrices 251
Polymer-metal-complex 1
Polymer-polymer miscibility 63
Polymer-supported chromium(VI) oxidizing reagents 531
Polymethacrylonitrile 259
Poly(methyl methacrylate-co-vinyl pyridine) 183
Poly(methyl methacrylate) macromonomers 165
Poly(methyl methacrylates) 183
--, isotactic 165, 621
Poly(alpha-methylstyrene) 265
Poly(monobenzyl itaconate) 69
Polyoxetanes 85
Polypeptide chains 377, 385
Poly(L-phenylalanine) 377, 385

Poly-p-phenylene 635
-, X-ray diffraction study 635
Poly(1,4-phenylene vinylene) 409
Poly(propylene oxide) 287
Polypropylenes 19
-, "anisotactic" 159
Polypyrrole 53
Polystyrene/poly(alpha-methylstyrene) 265
Polystyrene beads, crosslinked 365
Polystyrenes 319, 599
Poly(styrenesulfonic acid) 341
Polysulfide 571
Polythietanes 571
E-1,4-Poly(2-triethylsilyl-1,3-butadiene)/ iodine monochloride 427
cis-1,4-Poly(2-trimethylsilylmethyl-1,3-butadiene 541
Poly(L-tyrosine) 377
Polyurethanes 203, 555
Polyurethanes containing furan rings 555
Poly(L-valine) 385
Poly(N-vinylcarbazole) 217
Poly(vinylidene fluoride)/poly(monobenzyl itaconate) 69
Poly(N-vinyl-2-pyrrolidone), crosslinked 505
Porogen 577
Porosity 635
Potassium fluoride dihydrate 427
Potassium phenoxide 365
PPP, modification 635
Pronase 517
Propene 159
Propene polymerization, non-sterospecific catalyst 19
Propylene oxide 287
Purple membrane 59
PVPB 453
Pyrroelectric properties 69
Pyrrole-N-methylpyrrole copolymer 53

Quasiliving technique 439

Random-coiled conformation 377, 385
Random copolymers 315, 489
Relaxational processes 613
Resins, macroporous 577
Resorcine 483
Rhotosensitive polymers 145
Rod-like polymer 105
Rotational diffusion 105
Rubber elasticity, localization model 393

$SbCl_5$ 635 2ind
SbF_5 635 5 ind
SBR, crosslinked 475
Semiconductors, inorganic 523
Silver dichromate complex, polymer supported 531
Simmons-Smith reaction 173
SO_2, liquid 439
Sodium methyl xanthate 445
Solar cells, Schottky barrier 523
Solar energy conversion efficiency 523
Spin-lattice relaxation time 221
Spinodal decomposition 585
Stabilizers 145
Styrene 439
-, emulsion polymerization 301
Styrene/butadiene copolymer 475
Styrene-divinylbenzene-copolymers, heterogeneities 189
Styrene-divinylbenzene resins 577
Sulfamethoxazole 505
Sulfide spacer 563
Sulfur dioxide, liquid 439
Superconductors 1
Surfactants 301

Tablet-disintegrator 505
Tacticity dependence 433
Telechelic polymers 627
--, immiscible 627
Terminal chlorines 281
Ternery systems 89
Terpolymerization 353
Tetramethylene 179
2,2'-Tetramethylene-bis-(2-oxazoline) 353
2,4,5,7-Tetranitro-9-fluorenone 217
Thermal degradation 433
Thermotropic copolyester, phase separation 585
Thermotropic liquid-crystalline polymers 563
Thin films 371
$TiCl_3$ catalyst 19 3 ind
p-Toluenesulfonamide 505
Transesterification 327
Trimethylchlorosilane 335, 541
1,4-(2-Trimethylsilyl-1,3-butadiene) 335
2,4,7-Trinitro-9-fluorenone 217

Urethane elastomers 203
Urethanes 555
-, furanic 555
UV absorbers 145

e-Values 119
Vinylacetate 535
Vinyl ethers 357
Vinyl monomers, fluorine-containing 119
Vinylpolymers 63
Vinylsilane group 31
Viscosity 209

"Wattle blossom" model 517

Xanthanes, polymer-supported 445
XPS studies 53

Zirconocene-methylalumoxane catalyst 159
Zwitterion, copolymerization 39

Indexed in *Current Contents*